


SETUP für eine Verbindung zur Remote Station mit RCForb Client Von RemoteHams

RCForbClient


<http://download.remotehams.com/>



Remotestation





ERC Control in Yaesu
Rotorcontrol box

 Prolific USB-to-Serial Comm Port (COM4)

USB><COM
Adapter_Kabel
für CW-Tastung

RC' Forth Client; CW

DSUB female, rear view



Ext key
Hand key
Rcvr
Coartic key
...

paddle

3.8.20 wip

SETUP für die Anschaltung von CW-Equipment an das COM-Port

Anzeige RCForbClient

Wenn das Gerät auf FM steht, hört man unter Umständen nichts, da der Squelch aktiv ist!

The screenshot displays the RCForbClient software interface. At the top, there are tabs for 'Audio', 'Control Devices', 'Virtual Devices', and 'Layout'. Below these are various audio and control settings. The main interface features a central digital display showing 'TOT: 179 seconds.' and frequency values '432.450.000' and '14.030.000'. To the left of the display are controls for 'FM', 'Mode', 'Filter', 'AGC', 'Pre Amp', 'ATT', 'Antenna', 'Tx BW', 'CTCSS', and 'Repeater Shift'. To the right are buttons for 'TX', 'TXd', 'Tune', 'ATU', 'NB', 'NR', 'ANF', 'MNF', 'Mon', 'PB Clr', 'Split', 'VFO A', 'VFO B', 'A=B', 'A/B', 'Scan', 'Comp', 'Tone', 'TSQL', 'Lock', and 'Test'. Below the display are sliders for 'NB Level', 'NR Level', 'Notch', and 'PBT Outside'. A large virtual knob is positioned in the center-right. At the bottom right, there are frequency step controls set to '0.1 k'. A green dot is visible on the right side of the interface. The bottom of the screen shows a 'Chats' window with messages and a 'CW' window with macro settings. A compass icon is located on the right side of the interface.

Rotorbedienung erfolgt hier

RCForb Client anpassen für den Einsatz CW

COM X wählen
gemäss lokalem PC

The screenshot shows the RCForb Client software interface. A configuration dialog box is open, titled "Serial Port", with "COM5" selected in the dropdown menu. The dialog includes radio button options for DIT, DAH, and KEY, and a checked checkbox for "Use RTS as Power". A red arrow points from the yellow text box to the "COM5" dropdown.

The background interface shows a list of remote stations on the left and a table of radio information on the right. The status bar at the bottom indicates "Online: 240" and "Synchronized @ 14:00".

Radio	City	State	Country
Unknown	Unknown	Unknown	Unknown
MOTOR...	Qwasimo...	KW	Zimbabwe
TS-590	Rio Rancho	NM	USA
Ic-7300	Birmingham...	AL	United Sta...
Ic-7300	Irondale ...	AL	United Sta...
FT-100	Ash Flat	AR	United Sta...
Ic-7100	PHOENIX	ARIZON...	United Sta...
Enter m...	See	ca	United Sta...
TS-870	Alta Loma	CA	United Sta...
TS-2000	Atwater	CA	United Sta...
Icom	La Mesa	CA	United Sta...
K3	Marina	CA	United Sta...
FT-991	Morgan Hill	CA	United Sta...
FT857	Salinas	CA	United Sta...
K3	Salinas	CA	United Sta...
TS-2000	Salinas	CA	United Sta...
TS-570	Santa Cruz	CA	United Sta...
TS-2000	Vandenb...	CA	United Sta...
Ic-7600	Volcano	CA	United Sta...
Ic-7300	Harlinge...	Cameron...	United Sta...
Ic-756 Pr...	Lutz	FL	United Sta...
Ic-7300	Citrus Sp...	FL	United Sta...
TS-2000	Coconut...	FL	United Sta...
Ic-9100	Ft. Laud...	FL	United Sta...